



# What is the size of the solar curtain wall in New Zealand





## What is the size of the solar curtain wall in New Zealand




### C++

```
typedef size_t intc; // (instead of unsigned int)
typedef ssize_t uintc; // (instead of int)
Because strlen, string, vector all use size_t, so I usually use size_t. And I only use ssize_t when it may ...
```

### javascript

The OP was asking 'Array.size () vs Array.length'. From the previous discussions, it was make clear, that the 'size' Function is not part of standard JavaScript but implemented ...



### python 3.x

I found two ways to determine how many elements are in a variable... I always get the same values for len () and size (). Is there a difference? Could size () have come with an ...

### [What does the C++ standard say about the size of int, long?](#)

If the size of the int is that important one can use int16\_t, int32\_t and int64\_t (need the iostream include for that if I remember correctly). What's nice about this that int64\_t should not have ...




### Difference between size and length methods?

What is the difference between `.size()` and `.length`? Is `.size()` only for arraylists and `.length` only for arrays?

### **int**

In this case, depending upon what your use case is, you might be better off using `int` (or `long long`) for `s1` and `s2`. There are some functions in C/POSIX that could/should use `size_t`, but don't ...



### **Size function in matlab**

As you know, matlab deals mainly with matrices. So, the size function gives you the dimension of a matrix depending on how you use it. For example:  
1. If you say `size(A)`, it ...

**How can I see the size of a GitHub repository before cloning it?**



Here's a hint: My absolute largest repository contains only images of various formats, it's an "artwork" repo of icons which I use in various apps. Yet, GitHub reports the size as 0. So I'm ...



### [What's the difference between size\\_t and int in C++?](#)

In several C++ examples I see a use of the type size\_t where I would have used a simple int. What's the difference, and why size\_t should be better?

### [How to determine the size of an object in Java](#)

The approach basically builds on other work where people experimentally identified the size of primitives and typical Java objects and then apply that knowledge to a ...





## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:

<https://www.asimer.es>

Phone: +34 910 56 87 42

Email: [info@asimer.es](mailto:info@asimer.es)

Scan the QR code to access our WhatsApp.

